

(切断に関しては、お問い合わせください)

板厚	寸法							
	(1000×2000) 1m×2m	(1000×4000) 1m×4m	(1219×2438) 4f×8f	(1219×3048) 4f×10f	(1524×3048) 5f×10f	(1524×4000) 5f×4m	(2000×4000) 2m×4m	(1524×6096) 5f×20f
SUS304 2B								
0.3	4.76							
0.4	6.34							
0.5	7.93		11.8					
0.6	9.52		14.1					
0.7	11.1							
0.8	12.7		18.9					
1.0	15.9		23.6		36.9			
1.2	19.0		28.3		44.2			
1.5	23.8		35.4		55.3			
2.0	31.7		47.1		73.7	96.7		
2.5	39.6		58.9		92.1	121.0		
3.0	47.6		70.7		111.0	145.0		
3.5	55.5	111.0						
4.0	63.4		94.3		147.0	193.0		
5.0	79.3		118.0		184.0	242.0		
6.0	95.2		141.0		221.0	290.0		
SUS304 HL								
0.5	7.93							
0.6	9.52							
0.8	12.7		18.9					
1.0	15.9	31.8	23.6					
1.2	19.0		28.3					
1.5	23.8	47.6	35.4	44.2	55.3			
2.0	31.7	63.4	47.1	58.9	73.7			
3.0	47.6		70.7					
SUS304 片面#400研磨								
0.3	4.76							
0.4	6.34							
0.5	7.93							
0.6	9.52							
0.8	12.7		18.9					
1.0	15.9		23.6					
1.2	19.0		28.3					
1.5	23.8		35.4					
2.0	31.7		47.1					
3.0	47.6		70.7					
SUS304 両面#400研磨								
0.5	7.93							
0.6	9.52							
0.8	12.7							
1.0	15.9		23.6					
1.2	19.0							
1.5	23.8							
2.0	31.7							
3.0	47.6							
SUS304 片面#800研磨								
0.8	12.7		18.9					
1.0	15.9		23.6					
1.2	19.0		28.3					
1.5	23.8		35.4					

(切断に関しては、お問い合わせください)

板厚	寸法							
	(1000×2000) 1m×2m	(1000×4000) 1m×4m	(1219×2438) 4f×8f	(1219×3048) 4f×10f	(1524×3048) 5f×10f	(1524×4000) 5f×4m	(2000×4000) 2m×4m	(1524×6096) 5f×20f
2.0	31.7		47.1					
3.0	47.6		70.7					
SUS304 BA								
0.8	12.7							
1.0	15.9		23.6					
1.2	19.0							
1.5	23.8		35.4					
2.0	31.7		47.1					
SUS304 No.1								
2.0	31.7							
3.0	47.6		70.7		111.0	145.0		222.0
3.5	55.5	111.0						
4.0	63.4		94.3		147.0	193.0	254.0	294.0
4.5	71.4	143.0	106.0		166.0	218.0		
5.0	79.3		118.0		184.0	242.0	317.0	368.0
6.0	95.2		141.0		221.0	290.0	381.0	442.0
7.0	111.0		165.0		258.0	338.0		
8.0	127.0		189.0		295.0	387.0	508.0	590.0
9.0	143.0		212.0		232.0	435.0	571.0	464.0
10.0	159.0		236.0		368.0	483.0	634.0	736.0
12.0	190.0		283.0		442.0	580.0	761.0	884.0
14.0	222.0				516.0	677.0	888.0	1032.0
15.0	238.0				553.0	725.0	952.0	1106.0
16.0	254.0				589.0	774.0	1015.0	1178.0
18.0	285.0				663.0	870.0	1142.0	1326.0
19.0	301.0				700.0	919.0	1206.0	1400.0
20.0	317.0				737.0	967.0	1269.0	1474.0
22.0	349.0				811.0	1064.0	1396.0	1622.0
25.0	396.0				921.0	1208.0	1586.0	1842.0
28.0					1031.0	1353.0	1776.0	2062.0
30.0					1105.0		1903.0	2210.0
32.0					1179.0		2030.0	2358.0
35.0					1289.0		2221.0	2578.0
38.0					1400.0		2410.0	
40.0					1473.0		2538.0	
45.0					1657.0		2854.0	
50.0					1842.0		3172.0	
55.0					2026.0		3490.0	
60.0					2210.0		3806.0	
65.0					2394.0		4123.0	
70.0							4441.0	
75.0							4578.0	
80.0							5075.0	
85.0							5392.0	
90.0							5710.0	
95.0							6027.0	
100.0							9344.0	
SUS304L 2B								
0.4	6.34							
0.5	7.93							
0.6	9.52							
0.8	12.7							

